



NORTH DAKOTA
DEPARTMENT of HEALTH

ENVIRONMENTAL HEALTH SECTION
Gold Seal Center, 918 E. Divide Ave.
Bismarck, ND 58501-1947
701.328.5200 (fax)
www.ndhealth.gov



November 3, 2011

Ms. Mary Jo Roth
Manager
Environmental Services
Great River Energy
12300 Elm Creek Boulevard
Maple Grove, MN 56369

FILE

Re: Coal Creek NO_x BART Determination

Dear Ms. Roth:

The Department has been reviewing the information that you submitted on July 15, 2011 regarding revisions to Great River Energy's NO_x BART analysis which was used by the Department to make its BART determination for the Coal Creek Station. It is our understanding that you are now planning to submit additional information and an updated cost estimate for selective non-catalytic reduction (SNCR) at Coal Creek Station. This information may include new information on the effectiveness of SNCR as well as revised cost effectiveness data. We ask that the new information be submitted to the Department by December 21, 2011 so that the Department may complete its review as expeditiously as possible.

If you have any questions, please feel free to contact Tom Bachman of my staff.

Sincerely,

Terry L. O'Clair, P.E.
Director
Division of Air Quality

TLO/TB:saj

xc: Paul Seby, Moye White LLP Attorneys at Law
Maggie Olson, Ass't. Attorney General